



# Component List

## POSTS

Item No.	Description	Size
IS-W763-BPH	Base post for Wave link	763 mm
IS-0750-BP	Base post	750 mm
IS-2000-BP	Base post	2000 mm
IS-0830-UPM	Table support post	830 mm
IS-0750-EP	Centre post	750 mm
IS-0850-EP	Centre post	850 mm
IS-0555-TP	Top post	555 mm
IS-0755-TP	Top post	755 mm
IS-0855-TP	Top post	855 mm
IS-1005-TP	Top post	1005 mm
IS-1505-TP	Top post	1505 mm
IS-2005-TP	Top post	2005 mm




Wave Base Base Centre Top

## DOUBLE SIDED POSTS

with center connector profile and magnetic tape on two sides.

Item No.	Description	Size
IS-0750-DBP	Base post	750 mm
IS-2000-DBP	Base post	2000 mm
IS-0750-DEP	Centre post	750 mm
IS-0850-DEP	Centre post	850 mm
IS-0555-DTP	Top post	555 mm
IS-0755-DTP	Top post	755 mm
IS-0855-DTP	Top post	855 mm
IS-1005-DTP	Top post	1005 mm
IS-1505-DTP	Top post	1505 mm
IS-2005-DTP	Top post	2005 mm




Base Centre Top

## EXTERNAL CORNER POSTS

with magnetic tape on one side and metal tape two sides.

Item No.	Description	Size
IS-0750-EB	Base post	750 mm
IS-2000-EB	Base post	2000 mm
IS-0750-EE	Centre post	750 mm
IS-0850-EE	Centre post	850 mm
IS-0555-ET	Top post	555 mm
IS-0755-ET	Top post	755 mm
IS-0855-ET	Top post	855 mm
IS-1005-ET	Top post	1005 mm
IS-1505-ET	Top post	1505 mm
IS-2005-ET	Top post	2005 mm




Base Centre Top

## EXTERNAL CORNER POSTS

with magnetic tape on two sides.

Item No.	Description	Size
IS-0750-EBM	Base post	750 mm
IS-2000-EBM	Base post	2000 mm
IS-0750-EEM	Centre post	750 mm
IS-0850-EEM	Centre post	850 mm
IS-0555-ETM	Top post	555 mm
IS-0755-ETM	Top post	755 mm
IS-0855-ETM	Top post	855 mm
IS-1005-ETM	Top post	1005 mm
IS-1505-ETM	Top post	1505 mm
IS-2005-ETM	Top post	2005 mm



Base Centre Top

## 90° CORNER POSTS

Item No.	Description	Size
IS-0750-IB90	Base post	750 mm
IS-2000-IB90	Base post	2000 mm
IS-0750-IE90	Centre post	750 mm
IS-0850-IE90	Centre post	850 mm
IS-0555-IT90	Top post	555 mm
IS-0755-IT90	Top post	755 mm
IS-0855-IT90	Top post	855 mm
IS-1005-IT90	Top post	1005 mm
IS-1505-IT90	Top post	1505 mm
IS-2005-IT90	Top post	2005 mm





### 135° CORNER POSTS

Item No.	Description	Size
IS-0750-IB135	Base post	750 mm
IS-2000-IB135	Base post	2000 mm
IS-0750-IE135	Centre post	750 mm
IS-0850-IE135	Centre post	850 mm
IS-0555-IT135	Top post	555 mm
IS-0755-IT135	Top post	755 mm
IS-0855-IT135	Top post	855 mm
IS-1005-IT135	Top post	1005 mm
IS-1505-IT135	Top post	1505 mm
IS-2005-IT135	Top post	2005 mm



### T-CONNECTOR POSTS

Item No.	Description	Size
IS-0750-ITB	Base post	750 mm
IS-2000-ITB	Base post	2000 mm
IS-0750-ITE	Centre post	750 mm
IS-0850-ITE	Centre post	850 mm
IS-0555-ITT	Top post	555 mm
IS-0755-ITT	Top post	755 mm
IS-0855-ITT	Top post	855 mm
IS-1005-ITT	Top post	1005 mm
IS-1505-ITT	Top post	1505 mm
IS-2005-ITT	Top post	2005 mm



### OVAL POSTS

For Compact "Flying Oval" Starter kits


Item No.	Description	Size
IS-OP-760-BP	Base Oval Post	760 mm
IS-OP-750-EP	Centre Oval Post	750 mm
IS-OP-850-EP	Centre Oval Post	850 mm
IS-OP-555-TP	Top Oval Post	555 mm
IS-OP-755-TP	Top Oval Post	755 mm
IS-OP-855-TP	Top Oval Post	855 mm

### INSERT PROFILES for Oval post

For Compact "Oval" starter kits.

To be used together with Oval post. Including magnetic tape.

Item No.	Description	Size
IS-OP-750-OPC	Base & Centre Profile /w screws	750 mm
IS-OP-850-OPC	Centre Profile /w screw	850 mm
IS-OP-555-OPC	Top Profile /w Top Hub & screws	555 mm
IS-OP-755-OPC	Top Profile /w Top Hub & screws	755 mm
IS-OP-855-OPC	Top Profile /w Top Hub & screws	855 mm



### BEAMS / LINKS

Item No.	Description	Size
IS-W-FLH	Flexible <b>Wave</b> Link	800 mm
IS-4030-I	Beam 30° inside curve	400 mm
IS-4030-O	Beam 30° outside curve	400 mm
IS-4045-I	Beam 45° inside curve	400 mm
IS-4045-O	Beam 45° outside curve	400 mm
IS-8005-I	Beam 5° inside curve	800 mm
IS-8005-O	Beam 5° outside curve	800 mm
IS-8010-I	Beam 10° inside curve	800 mm
IS-8010-O	Beam 10° outside curve	800 mm
IS-8015-I	Beam 15° inside curve	800 mm
IS-8015-O	Beam 15° outside curve	800 mm
IS-8022,5-I	Beam 22,5° inside curve	800 mm
IS-8022,5-O	Beam 22,5° outside curve	800 mm
IS-8030-I	Beam 30° inside curve	800 mm
IS-8030-O	Beam 30° outside curve	800 mm
IS-8045-I	Beam 45° inside curve	800 mm
IS-8045-O	Beam 45° outside curve	800 mm
IS-8060-I	Beam 60° inside curve	800 mm
IS-8060-O	Beam 60° outside curve	800 mm
IS-8090-I	Beam 90° inside curve	800 mm
IS-8090-O	Beam 90° outside curve	800 mm
IS-400-BS	Beam straight with tape	400 mm
IS-800-BS	Beam straight with tape	800 mm
IS-165-DP	Distance beam, Flying Oval	165 mm



Corner trim

#### Corner trim info

Total corner trim height should always equal graphic panel height.

**Mini** = 770 + 750 + 550 mm

**Midi** = 770 + 750 + 750 mm

**Maxi** = 770 + 850 + 850 mm

\*Corner trim 2020 is for cutting special size

## CORNER TRIMS

For **flexible** graphic panels (approx. 0,5 mm thickness)

Item No.	Description	Size
IS-0550-CT	Corner trim	550 mm
IS-0750-CT	Corner trim	750 mm
IS-0770-CT	Corner trim	770 mm
IS-0850-CT	Corner trim	850 mm
*IS-2020-CT	*Corner trim	2020 mm
IS-0830-CT	Corner trim for counters	830 mm
IS-CF-82-CTL	Flying oval left	Midi
IS-CF-82-CTR	Flying oval right	Midi
IS-CF-83-CTL	Flying oval left	Maxi
IS-CF-83-CTR	Flying oval right	Maxi

For **semi-rigid** graphic panels (approx. 2,0/2,5 mm thickness)

Item No.	Description	Size
IS-0550-CTT	Corner trim	550 mm
IS-0750-CTT	Corner trim	750 mm
IS-0770-CTT	Corner trim	770 mm
IS-0850-CTT	Corner trim	850 mm
*IS-2020-CTT	*Corner trim	2020 mm



Oval Foot



Wave Foot



Extra stable foot

## FEET

### Item No.

IS-WFT-02  
IS-03-OF  
IS-9027

### Description

Foot for **Wave** base post (IS-W763-BP)  
Foot for **Oval** base posts (IS-OP-760-BP/-CE)  
Extra stable foot for **Wave** and **Oval** base posts



Kickers & Hangers



Magnetic tape



Graphic stiffener

## EXTRAS FOR GRAPHIC PANELS

Item No.	Description	Size
82281	Magnetic <b>A</b> -tape, 12 mm	1 roll = 30 mtr.
82282	Magnetic <b>A</b> tape, 24 mm	1 roll = 30 mtr.
82284	Magnetic <b>B</b> -tape, 12 mm	1 roll = 30 mtr.
82283	Magnetic <b>B</b> tape, 24 mm	1 roll = 30 mtr.
IS-ST12	Steel tape for posts, 12 mm	1 roll = 30 mtr.

**A** tape for graphic panels and corner trims / **B** tape for posts, beams and graphic stiffener

Item No.	Description	Size
IS-400-KHN	Kickers & Hangers	400 mm
IS-800-KHN	Kickers & Hangers	800 mm
IS-REAR-KH	Kickers & Hangers	200-900 mm
IS-800-GS	Graphic stiffener (incl. mag tape)	800 mm



## Mark Bric Display AB

Källbäcksvärdsgatan 4, S-507 42 Borås, Sweden  
Tel. +46 (0)33 480 460 Fax +46 (0)33 480 470  
E-mail: display@markbric.se

www.markbricdisplay.com / www.isoframe.com